


For babies, it's all about SUCK



The ability to get enough milk in a reasonable amount of time with a normal milk supply



How babies suck

Important players:

- Tongue- cups to hold the breast, elevates & drops to create vacuum to draw out milk; grooves to help control milk bolus
- Cheeks

Help stabilize breast

- Jaw
- -also facilitates tongue drop to draw milk
- Palate- plays a role in creating vacuum; also closes off nasopharynx for swallowing
- Lips- form seal to maintain vacuum

Tongue mobility:

an essential ingredient for suck

With mouth open, must be able to:

- ✓ Maintain extension
- ✓ Elevate
- ✓ Lateralize
- ✓ Cup
- ✓ Spread




Tongue also helps shape the palate

Restrictions can cause:

Bubble palate

High arched palate

Narrow palate



The unappreciated role of the *posterior* (back) tongue

Rise and drop creates vacuum to draw out milk

Bolus control

Swallowing

Airway protection





What happens if not all parts of the tongue can move properly and freely?

If lingual frenulum is too restrictive, tongue may not:

- ✓ Extend far enough to adequately grasp and stabilize breast
- √ Cup well enough to hold breast, maintain seal
- ✓ *Elevate* sufficiently to create necessary vacuum

Mid-posterior tongue vs Tip

√ Control milk bolus/swallowing

9 of 54

What is tongue-tie?

Embryological remnant of tissue in the midline between the undersurface of the tongue and the floor of the mouth that restricts normal tongue movement

-International Affiliation of Tongue-tie Professionals (IATP)



What causes tongue-tie?

Failure of the tongue to separate completely from the floor of the mouth during pregnancy, leaving a piece of tissue that restricts full tongue motion and movement.

More facts

- Medical term ankyloglossia
- Variation of a midline defect
- More fairly defined as a restriction of tongue mobility by a tight frenulum
- Classical definition focused on tongue extension
- Affects between 1-10% of all babies
- Affects twice as many boys as girls
- Often runs in families

-		
-		

Assessing Suck

Visual


- ✓ Anatomy
- ✓ Risk factors

Digital

- ✓ Tongue contact
- ✓ Seal
- ✓ Cupping
- √ Vacuum

FUNCTION at breast

√ Ability to transfer available milk



Classic Type 1




Type 2




Posterior tongue-tie: fad or fact?


- Only recently identified
- Tends to be thicker and partially or completely "underground" (submucosal)
- Incidence has not been studied
- Gender distribution 1:1 (Knox et al, poster presentation)


Dollberg, S., & Botzer, E. (2011). Neonatal tongue-tie: myths and science]. Harefuah, 150(1), 46. Knox, I. (2010). Tongue Tie and Frenotomy in the Breastfeeding Newborn. Neoreviews, 11(9), e513-519. Hong, P., Lago, D., Seargeant, J., Pellman, L., Magit, A. E., & Pransky, S. M. (2010). Defining ankyloglossia: A case series of anterior and posterior tongue ties. Int J Pediatr Otorhinolaryngol. Chu, M. W., & Bloom, D. C. (2009). Posterior ankyloglossia: a case report. Int J Pediatr Otorhinolaryngol, 73(6), 881-883.



Tongue & Lip Mobility Restriction







Function: How well does mother's breast anatomy fit with baby's oral anatomy and issues?

Breast size

Breast density

Small gape

Engorgement **Breast pliability** Tongue curl back Bunched tongue

Bulbous areola?

blocking

Nipple length Nipple diameter Tongue thrust

Tongue retractions

Nipple Inverted or

retracting





Red Flags



Persistent sucking blisters ®






Bubble Palates










Red Flags

Tongue retracts and/or bunches when mouth opens wide







Tongue Mobility Red Flags






Tongue-thrusting ®











ì		
ř	•	

Mother says...

- I must not have enough milk, because..
- He wants to eat all the time
- ℍ He falls asleep at the breast
- He is never content...
- ℍ He doesn't want my breast
- ℍ He wants the bottle
- ℍe's killing me every time he gets on!


Tongue-tie: Strategy

The controversy: Clip now or wait till later?

How hard is baby working? How hard is mom working? Pain?

It's not just about breastfeeding!

- ☐ Potential future consequences
- ☐ Clues from family background
- ☐ Risks vs Benefits assessment



Potential problems when not treated: **Breastfeeding**


Baby

- Difficulty latching
- Clicking (suction breaks) with air swallowing
- Aspirating (breathing in) milk
- Early fatiguing resulting in need to feed very often
- Long feedings, baby never satisfied
- Poor weight gain

Potential problems: Breastfeeding

Mom

✓ Sore nipples



- ✓ Plugged ducts & breast infections from poor drainage
- ✓ Low milk supply
- ✓ Frustration, feelings of helplessness, depression from pain, long feeds, work of pumping, etc.

Potential problems: Bottle-feeding & Solids

Leaking milk from poor seal

Clicking & air swallowing

Choking from inability to control fast flow of bottle

Oral sensitivity to unfamiliar textures

Gagging and choking on foods


Potential Problems: Childhood and Adult Difficulty making certain sounds can result in problems with: ✓ Pronunciation (may need speech therapy) ✓ Quality of speech under stress √ Lack of control of rapid speech ✓ Rapid deterioration of speech with alcohol √ Tongue fatigue when speaking for periods of time Problems: Childhood and Adult Tongue mobility restriction can cause: ✓ Crooked teeth √ Hypersalivation (Excessive drooling) ✓ Excessive cavities in teeth due to extra food particles not swept away by tongue ✓ Digestive problems such as reflux from air swallowing, poorly chewed foods ✓ Difficulty swallowing foods ✓ Difficulty or inability to whistle, play a wind instrument, lick ice cream cone, french kiss Problems: Childhood and Adult ✓ Poor oral airway development, airway obstruction, snoring, sleep apnea ✓ Lowered self-esteem Who wants to kiss a dribbly child? Eating issues: messy table manners, sloppy feeding, sensitivity to food Teasing about speech, "splashing" when talking vehemently sloppy eating, etc. may lead to depression, anger, social withdrawal Stigma of being different, sent to speech at school ✓ May ultimately limit career opportunities!

Tongue-tie: Strategy Frenotomy – supported by research Can usually be done in office Minimal anesthetic Anteriors have very little blood Posteriors may have a little more blood Improvement usually immediate Stretching exercises recommended Grooved Director

Politics and Egg Shells: What can I say? What should I *not* say?

It depends on

- Your job setting and job description
- Your relationship with other HCPs
 - Who is in your corner?
- Wording is everything
- Use the evidence and document
- Reports vs telephone vs in-person
- Change happens slowly





New Territory: The Restrictive Maxillary Frenum





Lip Tie Type 4

Kotlow, L. (2011). Diagnosis and treatment of ankyloglossia and tied maxillary fraenum in infants using Er:YAG and 1064 diode lasers. *European archives of paediatric dentistry 12(2), 106-112*.

Maxillary (lip) & Posterior tongue tiesare they related?





A dental issue





Kotlow, L. A. (2010). The influence of the maxillary frenum on the development and pattern of dental caries on anterior teeth in breastfeeding infants: prevention, diagnosis, and treatment. *JHL*, 26(3), 304-308.





Before

After

Tight maxillary frenum

Some mothers never do well until baby is at breast with 100% sucking ability



Ensuring Success

- \rightarrow Get it all
- → Post-procedure stretching
- → Breastfeed!

Compensate until baby can do his job



Pumping is often essential to maintain supply

Helping Baby do his job better

- ✓ Position changes
- √ Asymmetric latch
- ✓ Sandwiching
- ✓ Breast compression
- ✓ Paced feeds
- ✓ Exercises
- ✓ Therapies
- ✓ Tincture of time

Helping Baby when the tongue gets

Tongue tip obstructing entry

in the way

- √ Skin to skin facilitates drop of tongue
- ✓ Suck training before feed

Tongue retracted

- ✓ Skin to skin
- ✓ Massage forward

Tongue humped/blocking

- ✓ Massage forward
- ✓ Suck train or finger-feed with counter pressure

Nipple Shields

Genna- Supporting Sucking Skills

\bigcirc	Lica	Marasco	2012
U	LISa	iviai asco	ZUIZ

If a bottle is necessary...



use it to teach breastfeeding skills


Craniosacral/Chiro/Speech Therapy



Appropriate for soft-tissue restrictions, nerve compressions, traumatic birth







http://www.kiddsteeth.com/articles.html

http://www.brianpalmerdds.com

http://www.mobimotherhood.org/MM/default.aspx

http://tongue-tied.net/ Int'l Affiliation of Tongue-tie Professionals